

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of: Peter R. SNOEREN, et. al.	Confirmation No.: 2670
Serial No.: 10/623,191	Group Art Unit: 2624
Filed: July 18, 2003	Examiner: David Rashid
Patent No. 7,668,358	Issued: February 23, 2010
For: MODEL-BASED GRAYSCALE REGISTRATION OF MEDICAL IMAGES	

---

ATTN: Certificate Of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria VA 22313-1450

**REQUEST FOR CERTIFICATE OF  
CORRECTION UNDER 37 CFR §1.323**

Sir:

Attached hereto is a Certificate of Correction Form PTO/SB/44 indicating a requested correction of error in the above-identified patent. The correction requested on the Form PTO/SB/44 is as follows:

Col. 22, Line 8: Delete "genera ted" and insert --generated-- therefor.  
(Claim 21, Line 2)

Patentees respectfully request the Director to issue a Certificate of Correction under 37 CFR §1.323 for the above-identified patent. The error described is a typographical error that occurred at the fault of the applicants, in good faith and does not involve such changes in the patent as would constitute new matter or would require reexamination.

The Director is authorized to charge the \$100 fee for the filing of this Certificate of Correction to Deposit Account 50-3014. If a Petition is required to effect correction of the above-identified mistakes in the patent, please deem this

Request to be such a Petition. If any further fees are deemed necessary in relation to this request, authorization is hereby given to charge the amount of such fee to Deposit Account 50-3014.

Respectfully submitted,

Date: April 29, 2010

/Brian J. Daiuto/  
Brian J. Daiuto  
Reg. No. 38,422  
Attorney for Patentees  
Tel: 650-565-8081

CUSTOMER NUMBER 80869  
Hologic Patent Department  
Attn: Darry Pattinson  
Sr. IP Paralegal  
250 Campus Drive  
Marlborough, MA 01752

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,668,358

APPLICATION NO.: 10/623,191

ISSUE DATE : February 23, 2010

INVENTOR(S) : Peter R. SNOEREN, et. al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 22, Line 8: Delete "genera ted" and insert --generated-- therefor.  
(Claim 21, Line 2)

### MAILING ADDRESS OF SENDER (Please do not use customer number below):

Brian J. Daiuto, Reg. No. 38422  
886 ILIMA COURT  
Palo Alto CA 94306

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*